

TABELA DE DESEMPENHO

AMPÈRES-HORA @ 25°C																			
Modelos	HORAS																MINUTOS		
	100	20	10	9	8	7	6	5	4.5	4	3.5	3	2.5	2	1.5	1	45	30	15
PE12045	49,5	45,0	40,5	40,0	39,5	39,0	38,0	36,0	35,0	34,0	33,0	32,0	31,0	30,0	28,0	26,0	23,0	20,0	15,0
PE12065	71,0	65,0	57,0	56,0	55,0	54,0	53,0	50,0	49,0	48,0	47,0	45,0	43,0	41,0	39,0	36,0	34,0	30,0	23,0
PE12105	116,0	105,0	95,0	93,0	91,5	90,0	88,5	85,0	83,0	81,0	79,0	75,0	72,5	69,0	65,0	60,0	55,0	48,0	38,0

Tensão final por elemento: 1,75 Volts

WATTS-HORA @ 25°C																			
Modelos	HORAS																MINUTOS		
	100	20	10	9	8	7	6	5	4.5	4	3.5	3	2.5	2	1.5	1	45	30	15
PE12045	6	28	44	50	54	59	64	77	78	84	92	111	114	132	158	206	247	293	500
PE12065	8	40	64	72	77	85	93	111	112	122	133	161	164	190	228	297	357	423	722
PE12105	14	65	103	117	125	137	150	179	182	196	214	259	266	308	369	480	576	684	1166

Tensão final por elemento: 1,75 Volts

DESCARGA (A) @ 25°C EM DIFERENTES REGIMES																			
Modelos	HORAS																MINUTOS		
	100	20	10	9	8	7	6	5	4.5	4	3.5	3	2.5	2	1.5	1	45	30	15
PE12045	0,50	2,25	4,05	4,44	4,94	5,57	6,33	7,20	7,78	8,50	9,43	10,67	12,40	15,00	18,67	26,00	30,67	40,00	60,00
PE12065	0,71	3,25	5,70	6,22	6,88	7,71	8,83	10,00	10,89	12,00	13,43	15,00	17,20	20,50	26,00	36,00	45,33	60,00	92,00
PE12105	1,16	5,25	9,50	10,33	11,44	12,86	14,75	17,00	18,44	20,25	22,57	25,00	29,00	34,50	43,33	60,00	73,33	96,00	152,00

Tensão final por elemento: 1,75 Volts